

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	156	(backup or (back\$3 near2 up)) same (total near2 file size\$1) same client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:55
L2	47	1 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:49
L3	3	(backup or (back\$3 near2 up)) same (total near2 file near2 size\$1) same client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:55
L4	2	(backup or (back\$3 near2 up)) same (client near2 file\$1 near2 size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:55
L5	2	(backup or (back\$3 near2 up)) same (client\$1 near2 file\$1 near2 size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:56
L6	5	(backup or (back\$3 near2 up)) same ((sum\$3 or total) with (file near2 size\$1)) same client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:57
L7	26	(backup or (back\$3 near2 up)) same (client\$1 with file\$1 with size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:00
L8	13	7 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:57
L9	77	(backup or (back\$3 near2 up)) same ((client\$1 or user\$1) with file\$1 with size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:00
L10	39	9 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:01

L11	21	9 and "707"/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:01
-----	----	-----------------------	---	----	-----	------------------